SUMMARY OF CHINO BASIN GROUNDWATER RECHARGE OPERATIONS June 2013				
Drainage System	Recharge Volume (AF)*			Management
Basin	SW/LR	MWD	Recycled	Zone Subtotals
San Antonio Channel Drainage System			<i>J</i> = 1.	
College Heights	_	-	N	MZ-1
Upland	_	-	N	403
Montclair 1, 2, 3 & 4	43	_	N	AF**
Brooks	-	-	120	
West Cucamonga Channel Drainage System				
8th Street	12	-	217	
7th Street	-	-	54	
Ely 1, 2, & 3	4	-	209	
Minor Drainage	_			
Grove	2	N	N	
Cucamonga and Deer Creek Channel Drainage				
Turner 1 & 2	_	-	_	MZ-2
Turner 3 & 4	_	-	_	418
Day Creek Channel Drainage System				AF**
Lower Day	1	-	X	
Etiwanda Channel Drainage System	_			
Etiwanda Debris	_	-	X	
Victoria	1	-	82	
San Sevaine Channel Drainage System				
San Sevaine 1, 2, 3, & 4	_	-	_	
San Sevaine 5	_	_	2	
West Fontana Channel System			_	
Hickory	1	-	116	
Banana	_	-	35	
Declez Channel Drainage System				MZ-3
RP3 Cells 1, 3, & 4	39	-	238	321
RP3 Cell 2	4	_	1	AF**
Declez	4	-	-	
Non-Replenishment Recharge**				
Brooks (MVWD) MZ-1	_			
Montclair (MVWD) MZ-1	(43)			
Turner (SAWCO) MZ-2	-			
Month Total = 1,142 AF	68	0	1,074	June 2013
Fiscal Year to Date Total		-		Fiscal Year
Since July 1, 2012 = 15,777 AF	5,298	0.0	10,479	to Date
Calendar Year to Date Total	2,270			Calendar Year
Since Jan. 1, 2013 = 9,105 AF	2,088	0	7,017	to Date
omec 3an. 1, 2015 - 9,105 Al	<i>4</i> ,000	U	1,011	to Date

SW: Storm Water, LR: Local Runoff (and GE, MVWD), MW: MWD Imported Water, RW: Recycled Water

Printed: Jun. 30, 14 ver. 2

^{- :} No stormwater/local runoff, or basin not in use due to maintenance or testing.

X : Turnouts not available - to be installed during future projects.

N : No turnout planned for installation.

^{* :} Data are preliminary based on the data available at the time of this report preparation.

^{** :} Management Zone Subtotals have deducted from them any Non-Replenishment Recharge, which is recharge originating from pumped groundwater and is not new water.